

New York State HIV/AIDS Surveillance Semiannual Report

**For Cases Diagnosed
through June 2004**

**Bureau of HIV/AIDS Epidemiology
New York State Department of Health**

Issued November 2005

Notice to Readers: Updated November 2005

In 2004 the Center for Disease Control and Prevention (CDC) completed the Interstate Duplication Evaluation Project (IDEP) in which all states were required to participate. The purpose of the project was to identify duplicate cases of HIV/AIDS that have been reported to the National HIV/AIDS Surveillance System by one or more states and assure that the cases are only counted once. If a case was reported by two or more states, the earliest date of diagnosis was used to determine which state the case was assigned to. CDC estimates that 30,000 of the AIDS cases in the national surveillance system were duplicates, representing less than 5% of the almost 1 million cases that have been reported to CDC over the history of the epidemic through 2002. It is anticipated that this process will be conducted on an ongoing basis.

The percent of AIDS cases that were lost in NYS due to this process was approximately 3%. Please note that this loss of AIDS cases will most likely not effect New York's Ryan White funding or other funding based on the AIDS case count because New York's estimated 3% loss in AIDS cases compares favorably with the average loss of cases for the nation which was a little less than 5%. The data presented in the December 2003 and June 2004 Semiannual Reports reflect this change in the AIDS case count for NYS. The December 2002 and 2001 reports have also been updated to reflect this change.

Attention Readers

On June 1, 2000, the New York State Department of Health (NYSDOH) implemented the HIV Reporting and Partner Notification Law. This law enhanced the existing AIDS case reporting by including reporting of HIV and HIV-related illness by health care providers and laboratories to the New York State Commissioner of Health.

The New York State AIDS Surveillance Quarterly Update has been extensively revised to include the HIV infection data in addition to AIDS data. This revised report will be referred to as the New York State HIV/AIDS Surveillance Semiannual Report and will be updated through June and December of each year. The format has been substantially redesigned based on comments from our readers. The data are presented in a more aggregated format to avoid censoring due to small cell sizes, and cases are reported by date of diagnosis rather than date of report. More finely delineated data may still be obtained through our data request unit by calling 518-474-4284. The regional grouping has remained the same: New York City (NYC), New York State (NYS) excluding NYC, Ryan White regions, counties and NYC boroughs. Since a large proportion of cases in NYS excluding NYC areas are prisoners, data on prisoners and the general population continue to be reported separately.

Another major change to the report format is that it only includes cases that have been unduplicated between NYC and the rest of NYS. In all areas of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH's Bureau of HIV/AIDS Epidemiology (BHAE). In NYC, HIV/AIDS surveillance is conducted by the NYC Department of Health's HIV Surveillance and Epidemiology Unit. Often, a case will be reported to both jurisdictions. Since NYC and NYS departments of health report HIV/AIDS data separately to the national Centers for Disease Control and Prevention (CDC) there is often an overlap of cases between the two jurisdictions. CDC unduplicates the data between the two jurisdictions. A case is only counted once and it is assigned to the county of residence at the time of the earliest report. This unduplicated count provides the basis for Ryan White and other federal funding to NYS. The numbers in this report reflect the algorithm used by CDC to unduplicate cases and, therefore, cannot be directly compared to data reported in past issues of the AIDS Surveillance Quarterly Update. Data that has not been unduplicated may also be obtained through our data request unit.

Data presented in this report on risk should be interpreted with caution. Due to the large increase in reported cases, backlogs have developed in case investigations which involve medical chart reviews. Since a medical chart review is usually required to obtain information on the mode of transmission (risk), this backlog has resulted in a large proportion of cases being presented with an unknown risk. The BHAE, will be investigating all cases reported without risk over the next two years, with priority being given to all newly diagnosed HIV and AIDS cases. Due to the large volume of cases in NYC, the HIV Surveillance and Epidemiology Unit will be investigating all AIDS cases reported without risk and a sample of the prevalent HIV cases.

To familiarize yourself with this revised reporting format and definitions contained in this report please read the following section on technical notes.

TECHNICAL NOTES ON HIV/AIDS SURVEILLANCE DATA

Introduction

This is the HIV/AIDS Surveillance Semiannual Report, which is produced by the BHAE at the NYS Department of Health. Access to this publication is available through the internet at the following address: <http://www.nyhealth.gov/diseases/aids/statistics/index.htm>. Printed copies can be obtained by those without internet access by writing to:

Bureau of HIV/AIDS Epidemiology
P.O. Box 2073 ESP Station Albany, New York 12220-0073

Data presented in this report is generated from information collected and maintained by BHAE and the NYC Department of Health's HIV Surveillance and Epidemiology Unit.

Reporting Procedures:

As of June 1, 2000, the NYS HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III) requires health care providers to report all initial determinations of HIV infection, diagnosis of HIV-related illness and diagnosis of AIDS to the NYS Commissioner of Health.* Laboratories are required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 or 29% of total lymphocytes.

Laboratories conducting HIV-related testing must report directly to the NYS Department of Health either electronically or on paper. For more information call 518-474-4284.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF). Copies can be obtained by calling 518-474-4284.

NYS providers outside of NYC should mail the completed PRF to:

Division of Epidemiology
P.O. Box 2073 ESP Station Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

*Please note that HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local or the NYS TB Control Program at (518) 474-4845.

Definition of Terms Used in this Report

Confirmed Case: Reports for which the clinical and demographic data required by the national Centers for Disease Control and Prevention (CDC) to confirm a case have been obtained.

Case Investigation: Reports received without sufficient information to confirm the case or a confirmed case reported without risk are investigated by NYS or NYC public health representatives who examine medical records to obtain demographic information, clinical status and reported HIV exposure (risk).

HIV/AIDS Case Categories: This report classifies cases into the four categories listed below. HIV and AIDS cases are mutually exclusive. The newly diagnosed HIV and AIDS cases are subsets of the living HIV and AIDS categories.

- ***Living HIV Cases*** - This category includes all reported individuals living with HIV infection who have not developed AIDS. These are considered prevalent HIV cases. This category includes HIV cases reported by a provider indicating an initial HIV diagnosis or an HIV illness and/or by a laboratory reporting a positive western blot or a detectable viral load.
- ***Newly Diagnosed HIV Cases*** - This is a subset of all living HIV cases that are being reported for the first time by a laboratory reporting a positive western blot or by a physician reporting an initial HIV diagnosis, and has not been reported with AIDS through the end of the reported time period. Please note that HIV reporting just began in June of 2000 and that cases diagnosed prior to this time by a provider other than the current provider reporting the case may be misclassified as a newly diagnosed case. Once the majority of HIV cases in care have been reported, the level of misclassification will decrease.
- ***Living AIDS Cases*** - This category include all reported individuals living with AIDS. These are considered prevalent AIDS cases.
- ***Newly Diagnosed AIDS Cases*** - This is a subset of all living AIDS cases that are being diagnosed and reported with AIDS for the first time. This includes cases that have never been reported before and cases initially reported with HIV infection that have since developed AIDS.
- ***Cumulative AIDS Cases*** - This category includes all AIDS cases reported since 1983, both living and deceased.

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on the provider form, laboratory report or in the patient's medical chart. This date may be months, or even years, prior to the date that the case was reported to the health department. In cases of HIV infection diagnosed prior to June 1, 2000 that have not been investigated, the diagnosis date is the test date of the first laboratory report received.

Report date: The date that the case was confirmed.

Prisoner: Individuals diagnosed and reported while incarcerated in city or county jails or state prisons. Most prisoners are reported from state prisons and are assigned the county of residence of the prison in which they were diagnosed.

Assignment of HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically provided to health care providers during routine medical history taking, and obtained from review of the patient's medical records. An individual may have been potentially exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this.) Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

Men who have sex with men (includes bisexual men)

Injection drug users

Men who have sex with men and inject drugs

Hemophiliacs or persons with other clotting disorders

Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS Transfusion and/or transplant recipients

Adult with undetermined mode of exposure

Confirmed other risk

Children:

Hemophiliacs or children with other clotting disorder

Mother is an injection drug user

Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood Transfusion recipient, an individual with documented HIV or AIDS

Mother received a transfusion or blood products

Mother had AIDS or is HIV-positive

Transfusion or transplant recipient

Child with undetermined mode of exposure

Pediatric other risk

Based on this hierarchy, for example, a women who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure precedes heterosexual contact on the hierarchy.

An individual with HIV/AIDS for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if s/he knows the partner's risk and/or HIV status. In the absence of such information, the case is classified as having an undetermined exposure category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is likely that many heterosexually exposed cases fail to meet these standards. Thus, a proportion of cases with an undetermined exposure category may be heterosexually exposed individuals. Both NYC and NYS surveillance units have been collecting information on "probable heterosexual exposure" which include persons with a history of heterosexual prostitution (sex work or exchange of sex for money or drugs), sexual contact with a prostitute of the opposite sex, multiple sex partners of the opposite sex, sexually transmitted disease, crack/cocaine use or immigration from a country where heterosexual transmission of HIV predominates. This information will be reported in future issues of this report.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Changes in the AIDS Surveillance Case Definition: A uniform surveillance case definition for AIDS was established by CDC in the early 1980s, and has since been modified three times, each time expanding the range of AIDS-indicator diseases and conditions and incorporating HIV diagnostic tests to improve the sensitivity and specificity of the definition. The first modification occurred in 1985, the second in 1987 and the most recent in 1993. The 1993 expansion of the AIDS case definition for adults and adolescent³ individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the

number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

Record Updates: When additional surveillance information is received on a confirmed case subsequent to the initial confirmation, data for that case may be updated, resulting in changes in the data reported to the public. Therefore, month to month totals in some data elements (such as mode of exposure and diagnosis date) may change over time. With the implementation of HIV reporting, the number of prevalent HIV and AIDS cases for a specified period of time may change, as individuals initially reported with HIV develop AIDS and are moved from the "HIV" to the "AIDS" category.

Age at diagnosis: The age at diagnosis of HIV and AIDS refers to the individual's age at the earliest, documented diagnosis. The CDC categorizes a case as Pediatric if an AIDS diagnosis was made prior to age 13. Adult and Adolescent cases refer to those cases diagnosed at age 13 or older.

Mortality Information: Vital status of cases is determined from updated case reports, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, and the National Death Index. Unless a case is known to be deceased from these sources, they are presumed to be alive.

Prisoners: Cases categorized as "Prisoners" have been diagnosed while incarcerated in city or county jails or one of the NYS Department of Corrections (DOCS) facilities throughout NYS. Most prisoners are reported from a NYSDOCS facility. Prison cases are often presented separately from general population data because, if diagnosed while incarcerated, residence reflects the address of the correctional facility, rather than their home address.

Regional Groupings: For this report, cases are assigned to the county of residence at time of earliest diagnosis. In NYC, data include all individuals who were residents of one of the five New York City boroughs at the time of initial diagnosis. NYS excluding NYC include all individuals whose residence was anywhere in NYS outside of NYC at the time of initial diagnosis.

TABLE OF CONTENTS:

STATEWIDE

Table 1	AIDS cases by Region and Year of Diagnosis.....	Page 11
Table 2A	Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 12
Table 2B	Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 13

REGIONAL

Table 3A	NYC - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 14
Table 3B	NYC - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 15
Table 4A	NYS excluding NYC - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 16
Table 4B	NYS excluding NYC - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 17

NYS Excluding NYC – COUNTY

Table 5A	Living and Cumulative HIV/AIDS by County.....	Pages 18-19
Table 5B	Newly Diagnosed HIV/AIDS cases by County.....	Pages 20-21

NYC BY GENDER

Table 6A	Males - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 22
Table 6B	Males - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 23
Table 6C	Females - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 24
Table 6D	Females - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 25

NYS Excluding NYC by GENDER (excludes Prisoners)

Table 7A	Males - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 26
Table 7B	Males - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 27
Table 7C	Females - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 28
Table 7D	Females - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 29

PRISONERS - (NYS Excluding NYC)

Table 8A	Living HIV/AIDS cases by Gender, Age and Race/Ethnicity.....	Page 30
Table 8B	Newly Diagnosed HIV/AIDS cases by Gender, Age and Race/Ethnicity.....	Page 31

NYS Excluding NYC

Table 9A	Living and Cumulative HIV/AIDS cases by Ryan White Region.....	Page 32
Table 9B	Newly Diagnosed HIV/AIDS cases by Ryan White Region.....	Page 33

NYS Excluding NYC - Ryan White Regions

The following two tables have been generated for each of the Ryan White Regions:

- A** - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk

Table 10 - A,B	Albany Ryan White Region	Pages 34-35
Table 11 - A,B	Binghamton Ryan White Region	Pages 36-37
Table 12 - A,B	Buffalo Ryan White Region.....	Pages 38-39
Table 13 - A,B	Lower Hudson Ryan White Region	Pages 40-41
Table 14 - A,B	Mid Hudson Ryan White Region	Pages 42-43
Table 15 - A,B	Nassau/Suffolk Ryan White Region	Pages 44-45
Table 16 - A,B	Rochester Ryan White Region	Pages 46-47
Table 17 - A,B	Syracuse Ryan White Region	Pages 48-49

NYC – Boroughs

Table 18A	HIV/AIDS Cases Diagnosed through June 2004.....	Page 50
Table 18B	Newly Diagnosed HIV/AIDS Cases, Diagnosed July 2003-June 2004.....	Page 51

The following two tables have been generated for each of the Boroughs:

- A** - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk

Table 19 - A,B	Bronx	Pages 52-53
Table 20 - A,B	Brooklyn	Pages 54-55
Table 21 - A,B	Manhattan	Pages 56-57
Table 22 - A,B	Queens	Pages 58-59
Table 23 - A,B	Staten Island	Pages 60-61

Table 1
New York State AIDS Cases* by Region and Year of Diagnosis

Year	Number of Cases Diagnosed		
	NYC	Upstate	Total
Prior to 1981	49	0	49
1981	149	7	156
1982	491	33	524
1983	1,046	125	1,171
1984	1,763	249	2,012
1985	2,715	450	3,165
1986	3,896	706	4,602
1987	4,876	1,025	5,901
1988	6,029	1,288	7,317
1989	6,346	1,562	7,908
1990	7,199	1,725	8,924
1991	8,321	2,124	10,445
1992	9,998	2,606	12,604
1993	11,501	2,829	14,330
1994	11,354	2,617	13,971
1995	10,123	2,663	12,786
1996	8,349	2,193	10,542
1997	6,715	1,564	8,279
1998	5,105	1,258	6,363
1999	4,797	1,209	6,006
2000	5,726	1,389	7,115
2001	4,911	1,294	6,205
2002	4,077	1,173	5,250
2003	4,706	1,100	5,806
Through June 2004**	2,129	520	2,649
TOTAL	132,371	31,709	164,080

****Cases reported and confirmed through June 2005***

*****Data incomplete due to lag in reporting***

Table 2A
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through June 2004

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	23,593	64.5	47,270	70.8	122,546	74.7
	Female	12,772	34.9	19,542	29.2	41,534	25.3
	Unk	221	0.6	0	0.0	0	0.0
	TOTAL	36,586	100.0	66,812	100.0	164,080	100.0
Age Group	12 & under	1,763	4.8	835	1.2	2,322	1.4
	13-19	882	2.4	596	0.9	842	0.5
	20-24	2,664	7.3	1,968	2.9	4,011	2.4
	25-29	4,367	11.9	6,364	9.5	15,771	9.6
	30-49	22,731	62.1	48,446	72.5	118,622	72.3
	50+	4,039	11.0	8,603	12.9	22,512	13.7
	Unk	140	0.4	0	0.0	0	0.0
	TOTAL	36,586	100.0	66,812	100.0	164,080	100.0
Race/Ethnicity	White	8,603	23.5	14,848	22.2	42,455	25.9
	Black	16,101	44.0	30,369	45.5	71,953	43.9
	Hispanic	10,466	28.6	20,512	30.7	47,951	29.2
	Asian/PI	372	1.0	616	0.9	1,144	0.7
	Native Am	58	0.2	69	0.1	111	0.1
	Multi Race	69	0.2	91	0.1	95	0.1
	Other/Unk	917	2.5	307	0.5	371	0.2
	TOTAL	36,586	100.0	66,812	100.0	164,080	100.0
Risk	MSM	9,462	25.9	16,702	25.0	46,323	28.2
	IDU	5,179	14.2	19,337	28.9	63,569	38.7
	MSM/IDU	467	1.3	1,486	2.2	4,857	3.0
	Heterosexual	5,865	16.0	10,065	15.1	18,044	11.0
	Blood Prod.	147	0.4	434	0.6	1,372	0.8
	Pediatric Risk	1,438	3.9	932	1.4	2,415	1.5
	Other/Unk	14,028	38.3	17,856	26.7	27,500	16.8
	TOTAL	36,586	100.0	66,812	100.0	164,080	100.0

**All cases reported and confirmed from June 2000 - June 2005*

***All cases reported and confirmed from 1983 - June 2005*

Table 2B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	2,045	66.4	3,590	67.4
	Female	1,036	33.6	1,738	32.6
	TOTAL	3,081	100.0	5,328	100.0
Age Group	12 & under	19	0.6	8	0.2
	13-19	140	4.5	53	1.0
	20-24	340	11.0	173	3.2
	25-29	370	12.0	358	6.7
	30-49	1,795	58.3	3,610	67.8
	50+	416	13.5	1,126	21.1
	Unk	1	0.0	0	0.0
	TOTAL	3,081	100.0	5,328	100.0
Race/Ethnicity	White	587	19.1	970	18.2
	Black	1,560	50.6	2,687	50.4
	Hispanic	830	26.9	1,549	29.1
	Asian/PI	44	1.4	74	1.4
	Native Am	9	0.3	10	0.2
	Multi Race	30	1.0	13	0.2
	Other/Unk	21	0.7	25	0.5
	TOTAL	3,081	100.0	5,328	100.0
Risk	MSM	982	31.9	1,279	24.0
	IDU	279	9.1	875	16.4
	MSM/IDU	29	0.9	89	1.7
	Heterosexual	516	16.7	893	16.8
	Blood Prod.	18	0.6	41	0.8
	Pediatric Risk	15	0.5	17	0.3
	Other/Unk	1,242	40.3	2,134	40.1
	TOTAL	3,081	100.0	5,328	100.0

**Cases reported and confirmed through June 2005*

Table 3A

HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through June 2004

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	17,721	63.9	36,685	70.0	97,866	73.9
	Female	9,811	35.4	15,708	30.0	34,505	26.1
	Unk	220	0.8	0	0.0	0	0.0
	TOTAL	27,752	100.0	52,393	100.0	132,371	100.0
Age Group	12 & under	1,510	5.4	724	1.4	2,010	1.5
	13-19	643	2.3	464	0.9	641	0.5
	20-24	2,012	7.2	1,562	3.0	3,178	2.4
	25-29	3,266	11.8	4,906	9.4	12,331	9.3
	30-49	17,133	61.7	37,631	71.8	95,238	71.9
	50+	3,168	11.4	7,106	13.6	18,973	14.3
	Unk	20	0.1	0	0.0	0	0.0
	TOTAL	27,752	100.0	52,393	100.0	132,371	100.0
Race/Ethnicity	White	5,913	21.3	10,222	19.5	30,202	22.8
	Black	12,307	44.3	23,992	45.8	59,010	44.6
	Hispanic	8,272	29.8	17,284	33.0	41,714	31.5
	Asian/PI	339	1.2	572	1.1	1,064	0.8
	Native Am	29	0.1	31	0.1	56	0.0
	Multi Race	11	0.0	10	0.0	10	0.0
	Other/Unk	881	3.2	282	0.5	315	0.2
	TOTAL	27,752	100.0	52,393	100.0	132,371	100.0
Risk	MSM	7,692	27.7	13,542	25.8	38,212	28.9
	IDU	3,012	10.9	14,667	28.0	50,760	38.3
	MSM/IDU	300	1.1	1,010	1.9	3,565	2.7
	Heterosexual	4,165	15.0	7,724	14.7	14,273	10.8
	Blood Prod.	106	0.4	300	0.6	885	0.7
	Pediatric Risk	1,263	4.6	805	1.5	2,075	1.6
	Other/Unk	11,214	40.4	14,345	27.4	22,601	17.1
	TOTAL	27,752	100.0	52,393	100.0	132,371	100.0

*All cases reported and confirmed from June 2000 - June 2005

**All cases reported and confirmed from 1983 - June 2005

Table 3B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	1,675	67.2	2,837	66.6
	Female	817	32.8	1,422	33.4
	TOTAL	2,492	100.0	4,259	100.0
Age Group	12 & under	14	0.6	7	0.2
	13-19	108	4.3	43	1.0
	20-24	274	11.0	147	3.5
	25-29	303	12.2	273	6.4
	30-49	1,469	58.9	2,879	67.6
	50+	324	13.0	910	21.4
	TOTAL	2,492	100.0	4,259	100.0
Race/Ethnicity	White	413	16.6	633	14.9
	Black	1,269	50.9	2,189	51.4
	Hispanic	739	29.7	1,339	31.4
	Asian/PI	42	1.7	69	1.6
	Native Am	6	0.2	3	0.1
	Multi Race	3	0.1	1	0.0
	Other/Unk	20	0.8	25	0.6
	TOTAL	2,492	100.0	4,259	100.0
Risk	MSM	829	33.3	1,026	24.1
	IDU	212	8.5	639	15.0
	MSM/IDU	21	0.8	69	1.6
	Heterosexual	390	15.7	677	15.9
	Blood Prod.	12	0.5	28	0.7
	Pediatric Risk	10	0.4	13	0.3
	Other/Unk	1,018	40.9	1,807	42.4
	TOTAL	2,492	100.0	4,259	100.0

**Cases reported and confirmed through June 2005*

Table 4A

HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through June 2004

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	5,872	66.5	10,585	73.4	24,680	77.8
	Female	2,961	33.5	3,834	26.6	7,029	22.2
	Unk	1	0.0	0	0.0	0	0.0
	TOTAL	8,834	100.0	14,419	100.0	31,709	100.0
Age Group	12 & under	253	2.9	111	0.8	312	1.0
	13-19	239	2.7	132	0.9	201	0.6
	20-24	652	7.4	406	2.8	833	2.6
	25-29	1,101	12.5	1,458	10.1	3,440	10.8
	30-49	5,598	63.4	10,815	75.0	23,384	73.7
	50+	871	9.9	1,497	10.4	3,539	11.2
	Unk	120	1.4	0	0.0	0	0.0
	TOTAL	8,834	100.0	14,419	100.0	31,709	100.0
Race/Ethnicity	White	2,690	30.5	4,626	32.1	12,253	38.6
	Black	3,794	42.9	6,377	44.2	12,943	40.8
	Hispanic	2,194	24.8	3,228	22.4	6,237	19.7
	Asian/PI	33	0.4	44	0.3	80	0.3
	Native Am	29	0.3	38	0.3	55	0.2
	Multi Race	58	0.7	81	0.6	85	0.3
	Other/Unk	36	0.4	25	0.2	56	0.2
	TOTAL	8,834	100.0	14,419	100.0	31,709	100.0
Risk	MSM	1,770	20.0	3,160	21.9	8,111	25.6
	IDU	2,167	24.5	4,670	32.4	12,809	40.4
	MSM/IDU	167	1.9	476	3.3	1,292	4.1
	Heterosexual	1,700	19.2	2,341	16.2	3,771	11.9
	Blood Prod.	41	0.5	134	0.9	487	1.5
	Pediatric Risk	175	2.0	127	0.9	340	1.1
	Other/Unk	2,814	31.9	3,511	24.3	4,899	15.4
	TOTAL	8,834	100.0	14,419	100.0	31,709	100.0

*All cases reported and confirmed from June 2000 - June 2005

**All cases reported and confirmed from 1983 - June 2005

Table 4B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	370	62.8	753	70.4
	Female	219	37.2	316	29.6
	TOTAL	589	100.0	1,069	100.0
Age Group	12 & under	5	0.8	1	0.1
	13-19	32	5.4	10	0.9
	20-24	66	11.2	26	2.4
	25-29	67	11.4	85	8.0
	30-49	326	55.3	731	68.4
	50+	92	15.6	216	20.2
	Unk	1	0.2	0	0.0
	TOTAL	589	100.0	1,069	100.0
Race/Ethnicity	White	174	29.5	337	31.5
	Black	291	49.4	498	46.6
	Hispanic	91	15.4	210	19.6
	Asian/PI	2	0.3	5	0.5
	Native Am	3	0.5	7	0.7
	Multi Race	27	4.6	12	1.1
	Other/Unk	1	0.2	0	0.0
	TOTAL	589	100.0	1,069	100.0
Risk	MSM	153	26.0	253	23.7
	IDU	67	11.4	236	22.1
	MSM/IDU	8	1.4	20	1.9
	Heterosexual	126	21.4	216	20.2
	Blood Prod.	6	1.0	13	1.2
	Pediatric Risk	5	0.8	4	0.4
	Other/Unk	224	38.0	327	30.6
	TOTAL	589	100.0	1,069	100.0

**Cases reported and confirmed through June 2005*

Table 5A
HIV/AIDS Cases Diagnosed through June 2004

			AIDS**			
	Living HIV*		Living		Cumulative	
County	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Albany	333	366	489	510	1,033	1,064
Allegany	4	4	9	10	21	22
Broome	109	111	130	134	270	274
Cattaraugus	17	52	20	47	44	76
Cayuga	20	102	44	143	80	295
Chautauqua	57	103	61	79	113	136
Chemung	34	87	32	93	113	249
Chenango	14	20	24	32	39	54
Clinton	20	108	28	226	59	462
Columbia	32	76	30	57	80	132
Cortland	6	6	8	8	21	21
Delaware	19	19	20	21	40	41
Dutchess	196	401	368	667	886	1,535
Erie	548	633	801	901	1,835	2,030
Essex	11	54	17	82	49	181
Franklin	14	233	20	228	36	373
Fulton	17	19	19	20	39	41
Genessee	16	16	21	23	43	45
Greene	21	61	38	119	69	213
Hamilton	1	1	1	1	2	2
Herkimer	13	13	13	13	31	31
Jefferson	26	188	37	171	73	282
Lewis	21	21	5	6	11	12
Livingston	15	97	31	104	67	202
Madison	12	13	15	27	34	50
Monroe	626	656	993	1,012	2,084	2,118
Montgomery	26	28	29	29	71	71
Nassau	682	704	1,502	1,527	3,764	3,810
Niagara	47	50	80	84	217	221
Oneida	104	335	159	485	347	929
Onondaga	268	275	470	481	1,057	1,073
Ontario	23	24	36	37	58	59
Orange	213	298	471	599	1,105	1,331

**All cases reported and confirmed from June 2000 - June 2005*

***All cases reported and confirmed from 1983 - June 2005*

Table 5A
HIV/AIDS Cases Diagnosed through June 2004

			AIDS**			
	Living HIV*		Living		Cumulative	
County	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Orleans	14	240	25	238	42	359
Oswego	23	23	40	40	82	82
Otsego	21	21	30	31	65	66
Putnam	26	27	73	74	167	168
Rensselaer	82	87	126	130	254	258
Rockland	150	153	399	466	864	933
Saratoga	39	84	77	133	177	294
Schenectady	141	149	167	179	375	388
Schoharie	14	20	8	12	33	37
Schuyler	2	7	2	4	12	14
Seneca	14	102	8	59	20	76
St Lawrence	32	174	45	204	75	315
Steuben	17	18	25	25	71	71
Suffolk	723	743	1,500	1,526	3,722	3,781
Sullivan	115	173	183	255	475	625
Tioga	9	9	11	11	28	28
Tompkins	18	19	63	66	120	123
Ulster	125	246	259	436	593	905
Warren	19	19	28	28	58	58
Washington	10	100	19	107	45	284
Wayne	36	51	33	46	79	97
Westchester	797	1,064	1,937	2,214	4,500	4,987
Wyoming	6	124	11	157	19	315
Yates	7	7	2	2	9	9
Unk	0	0	0	0	1	1
TOTAL	6,005	8,834	11,092	14,419	25,677	31,709

**All cases reported and confirmed from June 2000 - June 2005*

***All cases reported and confirmed from 1983 - June 2005*

Table 5B
Newly Diagnosed HIV/AIDS Cases* Diagnosed July 2003 - June 2004

County	Initial HIV Diagnosis		Initial AIDS Diagnosis	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Albany	33	33	46	49
Allegany	1	1	1	1
Broome	5	5	13	13
Cattaraugus	1	1	3	4
Cayuga	1	1	5	9
Chautauqua	4	4	6	7
Chemung	2	2	2	11
Chenango	0	0	2	2
Clinton	0	1	2	9
Columbia	2	2	1	1
Cortland	0	0	2	2
Delaware	1	1	1	1
Dutchess	15	18	29	46
Erie	47	49	73	75
Essex	0	2	0	2
Franklin	1	4	4	11
Fulton	3	3	2	2
Greene	0	1	5	10
Hamilton	0	0	0	0
Herkimer	2	2	1	1
Jefferson	1	1	4	7
Lewis	1	1	0	0
Livingston	0	1	3	4
Madison	0	0	1	1
Monroe	63	63	75	77
Montgomery	3	3	1	1
Nassau	65	65	109	113
Niagara	5	5	9	11
Oneida	7	7	17	31
Onondaga	19	19	33	34
Ontario	1	1	4	4
Orange	19	19	59	80
Orleans	1	1	3	10
Oswego	2	2	4	4
Otsego	1	1	4	4

***Cases reported and confirmed through June 2005**

Table 5B
Newly Diagnosed HIV/AIDS Cases* Diagnosed July 2003 - June 2004

County	Initial HIV Diagnosis		Initial AIDS Diagnosis	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Putnam	2	2	7	7
Rensselaer	15	15	16	16
Rockland	19	19	23	23
Saratoga	1	3	12	14
Schenectady	19	19	16	18
Schoharie	1	1	2	2
Seneca	3	5	1	7
St Lawrence	1	2	7	11
Steuben	0	0	1	1
Suffolk	77	77	113	114
Sullivan	12	14	10	12
Tioga	1	1	3	3
Tompkins	2	2	2	2
Ulster	16	17	18	25
Warren	2	2	1	1
Washington	0	0	2	3
Wayne	4	4	1	1
Westchester	81	86	139	162
Wyoming	1	1	1	10
Unk	0	0	0	0
TOTAL	563	589	899	1,069

**Cases reported and confirmed through June 2005*

Table 6A
Living HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed through June 2004*

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	731	4.1	355	1.0
	13-19	330	1.9	232	0.6
	20-24	1,191	6.7	911	2.5
	25-29	2,076	11.7	3,209	8.7
	30-49	11,243	63.4	26,676	72.7
	50+	2,139	12.1	5,302	14.5
	Unk	11	0.1	0	0.0
	TOTAL	17,721	100.0	36,685	100.0
Race/Ethnicity	White	5,158	29.1	8,669	23.6
	Black	6,498	36.7	15,085	41.1
	Hispanic	5,308	30.0	12,211	33.3
	Asian/PI	258	1.5	470	1.3
	Native Am	18	0.1	25	0.1
	Multi Race	9	0.1	9	0.0
	Other/Unk	472	2.7	216	0.6
	TOTAL	17,721	100.0	36,685	100.0
Risk	MSM	7,692	43.4	13,542	36.9
	IDU	1,882	10.6	10,074	27.5
	MSM/IDU	300	1.7	1,010	2.8
	Heterosexual	1,269	7.2	2,540	6.9
	Blood Prod.	40	0.2	139	0.4
	Pediatric Risk	621	3.5	399	1.1
	Other/Unk	5,917	33.4	8,981	24.5
	TOTAL	17,721	100.0	36,685	100.0

**Cases reported and confirmed through June 2005*

Table 6B

***Newly Diagnosed HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004****

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	6	0.4	3	0.1
	13-19	70	4.2	25	0.9
	20-24	181	10.8	94	3.3
	25-29	215	12.8	164	5.8
	30-49	981	58.6	1,933	68.1
	50+	222	13.3	618	21.8
	TOTAL	1,675	100.0	2,837	100.0
Race/Ethnicity	White	370	22.1	544	19.2
	Black	725	43.3	1,288	45.4
	Hispanic	533	31.8	932	32.9
	Asian/PI	31	1.9	51	1.8
	Native Am	1	0.1	3	0.1
	Multi Race	2	0.1	1	0.0
	Other/Unk	13	0.8	18	0.6
	TOTAL	1,675	100.0	2,837	100.0
Risk	MSM	829	49.5	1,026	36.2
	IDU	141	8.4	414	14.6
	MSM/IDU	21	1.3	69	2.4
	Heterosexual	151	9.0	260	9.2
	Blood Prod.	5	0.3	12	0.4
	Pediatric Risk	5	0.3	7	0.2
	Other/Unk	523	31.2	1,049	37.0
	TOTAL	1,675	100.0	2,837	100.0

****Cases reported and confirmed through June 2005***

Table 6C
Living HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed through June 2004*

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	757	7.7	369	2.3
	13-19	312	3.2	232	1.5
	20-24	817	8.3	651	4.1
	25-29	1,179	12.0	1,697	10.8
	30-49	5,741	58.5	10,955	69.7
	50+	996	10.2	1,804	11.5
	Unk	9	0.1	0	0.0
	TOTAL	9,811	100.0	15,708	100.0
Race/Ethnicity	White	755	7.7	1,553	9.9
	Black	5,808	59.2	8,907	56.7
	Hispanic	2,963	30.2	5,073	32.3
	Asian/PI	81	0.8	102	0.6
	Native Am	11	0.1	6	0.0
	Multi Race	2	0.0	1	0.0
	Other/Unk	191	1.9	66	0.4
	TOTAL	9,811	100.0	15,708	100.0
Risk	IDU	1,130	11.5	4,593	29.2
	Heterosexual	2,896	29.5	5,184	33.0
	Blood Prod.	66	0.7	161	1.0
	Pediatric Risk	642	6.5	406	2.6
	Other/Unk	5,077	51.7	5,364	34.1
	TOTAL	9,811	100.0	15,708	100.0

**Cases reported and confirmed through June 2005*

Table 6D

***Newly Diagnosed HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004****

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	8	1.0	4	0.3
	13-19	38	4.7	18	1.3
	20-24	93	11.4	53	3.7
	25-29	88	10.8	109	7.7
	30-49	488	59.7	946	66.5
	50+	102	12.5	292	20.5
	TOTAL	817	100.0	1,422	100.0
Race/Ethnicity	White	43	5.3	89	6.3
	Black	544	66.6	901	63.4
	Hispanic	206	25.2	407	28.6
	Asian/PI	11	1.3	18	1.3
	Native Am	5	0.6	0	0.0
	Multi Race	1	0.1	0	0.0
	Other/Unk	7	0.9	7	0.5
	TOTAL	817	100.0	1,422	100.0
Risk	IDU	71	8.7	225	15.8
	Heterosexual	239	29.3	417	29.3
	Blood Prod.	7	0.9	16	1.1
	Pediatric Risk	5	0.6	6	0.4
	Other/Unk	495	60.6	758	53.3
	TOTAL	817	100.0	1,422	100.0

****Cases reported and confirmed through June 2005***

Table 7A
Living HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk Diagnosed through June 2004*

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	121	3.3	58	0.8
	13-19	92	2.5	66	0.9
	20-24	275	7.6	181	2.4
	25-29	437	12.0	658	8.6
	30-49	2,263	62.1	5,718	74.5
	50+	380	10.4	992	12.9
	Unk	74	2.0	0	0.0
	TOTAL	3,642	100.0	7,673	100.0
Race/Ethnicity	White	1,707	46.9	3,359	43.8
	Black	1,298	35.6	2,957	38.5
	Hispanic	558	15.3	1,251	16.3
	Asian/PI	20	0.5	30	0.4
	Native Am	13	0.4	19	0.2
	Multi Race	22	0.6	43	0.6
	Other/Unk	24	0.7	14	0.2
	TOTAL	3,642	100.0	7,673	100.0
Risk	MSM	1,685	46.3	3,050	39.7
	IDU	670	18.4	2,216	28.9
	MSM/IDU	134	3.7	410	5.3
	Heterosexual	368	10.1	630	8.2
	Blood Prod.	28	0.8	90	1.2
	Pediatric Risk	84	2.3	73	1.0
	Other/Unk	673	18.5	1,204	15.7
	TOTAL	3,642	100.0	7,673	100.0

**Cases reported and confirmed through June 2005*

Table 7B

***Newly Diagnosed HIV/AIDS Cases (excluding prisoners) by Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004****

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	1	0.3	1	0.2
	13-19	17	4.8	8	1.3
	20-24	44	12.5	17	2.8
	25-29	33	9.4	44	7.2
	30-49	202	57.5	397	65.0
	50+	54	15.4	144	23.6
	TOTAL	351	100.0	611	100.0
Race/Ethnicity	White	118	33.6	244	39.9
	Black	165	47.0	250	40.9
	Hispanic	52	14.8	112	18.3
	Asian/PI	0	0.0	2	0.3
	Native Am	2	0.6	1	0.2
	Multi Race	13	3.7	2	0.3
	Other/Unk	1	0.3	0	0.0
	TOTAL	351	100.0	611	100.0
Risk	MSM	151	43.0	242	39.6
	IDU	41	11.7	108	17.7
	MSM/IDU	8	2.3	16	2.6
	Heterosexual	32	9.1	76	12.4
	Blood Prod.	3	0.9	8	1.3
	Pediatric Risk	2	0.6	3	0.5
	Other/Unk	114	32.5	158	25.9
	TOTAL	351	100.0	611	100.0

****Cases reported and confirmed through June 2005***

Table 7C
Living HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk Diagnosed through June 2004*

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	132	5.6	53	1.6
	13-19	125	5.3	57	1.7
	20-24	249	10.5	139	4.1
	25-29	344	14.6	424	12.4
	30-49	1,294	54.8	2,446	71.5
	50+	179	7.6	300	8.8
	Unk	39	1.7	0	0.0
	TOTAL	2,362	100.0	3,419	100.0
Race/Ethnicity	White	749	31.7	1,017	29.7
	Black	1,190	50.4	1,803	52.7
	Hispanic	373	15.8	547	16.0
	Asian/PI	10	0.4	10	0.3
	Native Am	9	0.4	11	0.3
	Multi Race	22	0.9	24	0.7
	Other/Unk	9	0.4	7	0.2
	TOTAL	2,362	100.0	3,419	100.0
Risk	IDU	438	18.5	1,010	29.5
	Heterosexual	1,173	49.7	1,574	46.0
	Blood Prod.	13	0.6	39	1.1
	Pediatric Risk	91	3.9	54	1.6
	Other/Unk	647	27.4	742	21.7
	TOTAL	2,362	100.0	3,419	100.0

**Cases reported and confirmed through June 2005*

Table 7D

**Newly Diagnosed HIV/AIDS Cases (excluding prisoners) by Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	4	1.9	0	0.0
	13-19	15	7.1	2	0.7
	20-24	21	9.9	8	2.8
	25-29	30	14.2	25	8.7
	30-49	104	49.1	207	71.9
	50+	37	17.5	46	16.0
	Unk	1	0.5	0	0.0
	TOTAL	212	100.0	288	100.0
Race/Ethnicity	White	54	25.5	81	28.1
	Black	112	52.8	159	55.2
	Hispanic	33	15.6	38	13.2
	Asian/PI	2	0.9	2	0.7
	Native Am	1	0.5	4	1.4
	Multi Race	10	4.7	4	1.4
	TOTAL	212	100.0	288	100.0
Risk	IDU	16	7.5	57	19.8
	Heterosexual	88	41.5	123	42.7
	Blood Prod.	3	1.4	4	1.4
	Pediatric Risk	3	1.4	1	0.3
	Other/Unk	102	48.1	103	35.8
	TOTAL	212	100.0	288	100.0

***Cases reported and confirmed through June 2005**

Table 8A
Living HIV/AIDS Cases*
Diagnosed through June 2004*

			HIV		AIDS	
			Number	Percent	Number	Percent
MALES	Age Group	13-19	18	0.8	7	0.2
		20-24	96	4.3	75	2.6
		25-29	249	11.2	315	10.8
		30-49	1,601	71.8	2,325	79.8
		50+	261	11.7	190	6.5
		Unk	5	0.2	0	0.0
		TOTAL	2,230	100.0	2,912	100.0
	Race/Ethnicity	White	172	7.7	224	7.7
		Black	1,011	45.3	1,371	47.1
		Hispanic	1,024	45.9	1,289	44.3
		Asian/PI	3	0.1	4	0.1
		Native Am	5	0.2	7	0.2
		Multi Race	13	0.6	14	0.5
		Other/Unk	2	0.1	3	0.1
		TOTAL	2,230	100.0	2,912	100.0
	Age Group	13-19	4	0.7	2	0.5
		20-24	32	5.3	11	2.7
		25-29	71	11.9	61	14.7
		30-49	439	73.3	326	78.6
		50+	51	8.5	15	3.6
		Unk	2	0.3	0	0.0
		TOTAL	599	100.0	415	100.0
	Race/Ethnicity	White	62	10.4	26	6.3
		Black	294	49.1	246	59.3
		Hispanic	239	39.9	141	34.0
		Native Am	2	0.3	1	0.2
		Multi Race	1	0.2	0	0.0
		Other/Unk	1	0.2	1	0.2
		TOTAL	599	100.0	415	100.0

**Cases reported and confirmed through June 2005*

Table 8B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, and Race/Ethnicity
Diagnosed July 2003- June 2004*

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	19	73.1	142	83.5
	Female	7	26.9	28	16.5
	TOTAL	26	100.0	170	100.0
Age Group	20-24	1	3.8	1	0.6
	25-29	4	15.4	16	9.4
	30-49	20	76.9	127	74.7
	50+	1	3.8	26	15.3
	TOTAL	26	100.0	170	100.0
Race/Ethnicity	White	2	7.7	12	7.1
	Black	14	53.8	89	52.4
	Hispanic	6	23.1	60	35.3
	Asian/PI	0	0.0	1	0.6
	Native Am	0	0.0	2	1.2
	Multi Race	4	15.4	6	3.5
	TOTAL	26	100.0	170	100.0

**Cases reported and confirmed through June 2005*

Table 9A
Living HIV/AIDS Cases* Diagnosed through June 2004

	Ryan White Region	Living HIV	Living AIDS	Cumulative AIDS
INCLUDES PRISONERS	Albany	1,445	1,913	3,965
	Binghamton	140	177	356
	Buffalo	1,222	1,539	3,204
	Lower Hudson	1,244	2,754	6,088
	Mid Hudson	1,118	1,957	4,396
	Nassau/Suffolk	1,447	3,053	7,591
	Rochester	1,049	1,382	2,895
	Syracuse	1,169	1,644	3,213
	Unk	0	0	1
	TOTAL	8,834	14,419	31,709
EXCLUDES PRISONERS	Albany	820	1,146	2,485
	Binghamton	132	165	337
	Buffalo	709	1,028	2,334
	Lower Hudson	973	2,409	5,531
	Mid Hudson	649	1,281	3,059
	Nassau/Suffolk	1,405	3,002	7,486
	Rochester	774	1,162	2,513
	Syracuse	543	899	1,931
	Unk	0	0	1
	TOTAL	6,005	11,092	25,677

**Cases reported and confirmed through June 2005*

Table 9B
Newly Diagnosed HIV/AIDS Cases*
Diagnosed July 2003 - June 2004

	Ryan White Region	Initial HIV	Initial AIDS
INCLUDES PRISONERS	Albany	91	144
	Binghamton	6	18
	Buffalo	62	118
	Lower Hudson	107	192
	Mid Hudson	68	163
	Nassau/Suffolk	142	227
	Rochester	76	105
	Syracuse	37	102
	TOTAL	589	1,069
EXCLUDES PRISONERS	Albany	82	115
	Binghamton	6	18
	Buffalo	60	96
	Lower Hudson	102	169
	Mid Hudson	62	116
	Nassau/Suffolk	142	222
	Rochester	73	87
	Syracuse	36	76
	TOTAL	563	899

**Cases reported and confirmed through June 2005*

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Table 10A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2004

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	492	60.0	802	70.0	1,899	76.4
	Female	328	40.0	344	30.0	586	23.6
	TOTAL	820	100.0	1,146	100.0	2,485	100.0
Age Group	12 & under	32	3.9	12	1.0	28	1.1
	13-19	34	4.1	11	1.0	18	0.7
	20-24	97	11.8	30	2.6	73	2.9
	25-29	136	16.6	137	12.0	310	12.5
	30-49	456	55.6	844	73.6	1,794	72.2
	50+	62	7.6	112	9.8	262	10.5
	Unk	3	0.4	0	0.0	0	0.0
	TOTAL	820	100.0	1,146	100.0	2,485	100.0
Race/Ethnicity	White	424	51.7	565	49.3	1,371	55.2
	Black	291	35.5	427	37.3	793	31.9
	Hispanic	87	10.6	143	12.5	301	12.1
	Asian/PI	5	0.6	4	0.3	6	0.2
	Native Am	5	0.6	2	0.2	4	0.2
	Multi Race	3	0.4	3	0.3	4	0.2
	Other/Unk	5	0.6	2	0.2	6	0.2
	TOTAL	820	100.0	1,146	100.0	2,485	100.0
Risk	MSM	272	33.2	368	32.1	911	36.7
	IDU	122	14.9	280	24.4	716	28.8
	MSM/IDU	19	2.3	36	3.1	102	4.1
	Heterosexual	187	22.8	185	16.1	297	12.0
	Blood Prod.	8	1.0	13	1.1	51	2.1
	Pediatric Risk	20	2.4	12	1.0	28	1.1
	Other/Unk	192	23.4	252	22.0	380	15.3
	TOTAL	820	100.0	1,146	100.0	2,485	100.0

**Excludes Prisoners*

***All cases reported and confirmed from June 2000 - June 2005*

****All cases reported and confirmed from 1983 - June 2005*

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Table 10B

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	39	47.6	80	69.6
	Female	43	52.4	35	30.4
	TOTAL	82	100.0	115	100.0
Age Group	12 & under	1	1.2	0	0.0
	13-19	7	8.5	0	0.0
	20-24	5	6.1	0	0.0
	25-29	9	11.0	12	10.4
	30-49	48	58.5	75	65.2
	50+	12	14.6	28	24.3
	TOTAL	82	100.0	115	100.0
Race/Ethnicity	White	32	39.0	52	45.2
	Black	40	48.8	50	43.5
	Hispanic	5	6.1	13	11.3
	Multi Race	5	6.1	0	0.0
	TOTAL	82	100.0	115	100.0
Risk	MSM	18	22.0	42	36.5
	IDU	7	8.5	19	16.5
	MSM/IDU	1	1.2	2	1.7
	Heterosexual	27	32.9	22	19.1
	Blood Prod.	1	1.2	1	0.9
	Pediatric Risk	1	1.2	0	0.0
	Other/Unk	27	32.9	29	25.2
	TOTAL	82	100.0	115	100.0

****Excludes Prisoners***

Cases reported and confirmed through June 2005

RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)

Table 11A

**HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
 Diagnosed through June 2004**

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	82	62.1	114	69.1	255	75.7
	Female	50	37.9	51	30.9	82	24.3
	TOTAL	132	100.0	165	100.0	337	100.0
Age Group	12 & under	7	5.3	0	0.0	1	0.3
	13-19	3	2.3	2	1.2	4	1.2
	20-24	14	10.6	6	3.6	12	3.6
	25-29	21	15.9	10	6.1	37	11.0
	30-49	81	61.4	129	78.2	248	73.6
	50+	6	4.5	18	10.9	35	10.4
	TOTAL	132	100.0	165	100.0	337	100.0
Race/Ethnicity	White	75	56.8	98	59.4	228	67.7
	Black	36	27.3	47	28.5	77	22.8
	Hispanic	20	15.2	19	11.5	31	9.2
	Native Am	0	0.0	1	0.6	1	0.3
	Other/Unk	1	0.8	0	0.0	0	0.0
	TOTAL	132	100.0	165	100.0	337	100.0
Risk	MSM	28	21.2	60	36.4	141	41.8
	IDU	33	25.0	39	23.6	81	24.0
	MSM/IDU	5	3.8	5	3.0	20	5.9
	Heterosexual	22	16.7	19	11.5	35	10.4
	Blood Prod.	0	0.0	2	1.2	4	1.2
	Pediatric Risk	7	5.3	1	0.6	4	1.2
	Other/Unk	37	28.0	39	23.6	52	15.4
	TOTAL	132	100.0	165	100.0	337	100.0

**Excludes Prisoners*

***All cases reported and confirmed from June 2000 - June 2005*

****All cases reported and confirmed from 1983 - June 2005*

RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)

Table 11B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	6	100.0	13	72.2
	Female	0	0.0	5	27.8
	TOTAL	6	100.0	18	100.0
Age Group	20-24	2	33.3	0	0.0
	25-29	1	16.7	1	5.6
	30-49	2	33.3	15	83.3
	50+	1	16.7	2	11.1
	TOTAL	6	100.0	18	100.0
Race/Ethnicity	White	4	66.7	9	50.0
	Black	2	33.3	5	27.8
	Hispanic	0	0.0	4	22.2
	TOTAL	6	100.0	18	100.0
Risk	MSM	2	33.3	5	27.8
	IDU	0	0.0	3	16.7
	MSM/IDU	1	16.7	0	0.0
	Heterosexual	0	0.0	2	11.1
	Other/Unk	3	50.0	8	44.4
	TOTAL	6	100.0	18	100.0

****Excludes Prisoners***
Cases reported and confirmed through June 2005

(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)

Table 12A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2004

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	432	60.9	753	73.2	1,814	77.7
	Female	277	39.1	275	26.8	520	22.3
	TOTAL	709	100.0	1,028	100.0	2,334	100.0
Age Group	12 & under	17	2.4	5	0.5	18	0.8
	13-19	43	6.1	16	1.6	23	1.0
	20-24	90	12.7	41	4.0	92	3.9
	25-29	117	16.5	103	10.0	277	11.9
	30-49	398	56.1	735	71.5	1,610	69.0
	50+	44	6.2	128	12.5	314	13.5
	TOTAL	709	100.0	1,028	100.0	2,334	100.0
Race/Ethnicity	White	271	38.2	407	39.6	1,015	43.5
	Black	315	44.4	462	44.9	1,021	43.7
	Hispanic	109	15.4	132	12.8	257	11.0
	Asian/PI	4	0.6	6	0.6	9	0.4
	Native Am	1	0.1	9	0.9	12	0.5
	Multi Race	7	1.0	9	0.9	9	0.4
	Other/Unk	2	0.3	3	0.3	11	0.5
	TOTAL	709	100.0	1,028	100.0	2,334	100.0
Risk	MSM	243	34.3	414	40.3	1,010	43.3
	IDU	134	18.9	230	22.4	654	28.0
	MSM/IDU	20	2.8	46	4.5	103	4.4
	Heterosexual	233	32.9	246	23.9	393	16.8
	Blood Prod.	4	0.6	12	1.2	41	1.8
	Pediatric Risk	15	2.1	9	0.9	23	1.0
	Other/Unk	60	8.5	71	6.9	110	4.7
	TOTAL	709	100.0	1,028	100.0	2,334	100.0

**Excludes Prisoners*

***All cases reported and confirmed from June 2000 - June 2005*

****All cases reported and confirmed from 1983 - June 2005*

(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)

Table 12B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	40	66.7	67	69.8
	Female	20	33.3	29	30.2
	TOTAL	60	100.0	96	100.0
Age Group	13-19	5	8.3	1	1.0
	20-24	15	25.0	3	3.1
	25-29	5	8.3	9	9.4
	30-49	26	43.3	66	68.8
	50+	9	15.0	17	17.7
	TOTAL	60	100.0	96	100.0
Race/Ethnicity	White	18	30.0	29	30.2
	Black	32	53.3	51	53.1
	Hispanic	5	8.3	14	14.6
	Asian/PI	1	1.7	1	1.0
	Native Am	0	0.0	1	1.0
	Multi Race	4	6.7	0	0.0
	TOTAL	60	100.0	96	100.0
Risk	MSM	22	36.7	28	29.2
	IDU	5	8.3	16	16.7
	MSM/IDU	3	5.0	5	5.2
	Heterosexual	12	20.0	34	35.4
	Blood Prod.	0	0.0	1	1.0
	Pediatric Risk	0	0.0	1	1.0
	Other/Unk	18	30.0	11	11.5
	TOTAL	60	100.0	96	100.0

****Excludes Prisoners***
Cases reported and confirmed through June 2005

RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)

Table 13A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2004

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	565	58.1	1,595	66.2	3,975	71.9
	Female	407	41.8	814	33.8	1,556	28.1
	Unk	1	0.1	0	0.0	0	0.0
	TOTAL	973	100.0	2,409	100.0	5,531	100.0
Age Group	12 & under	43	4.4	30	1.2	83	1.5
	13-19	24	2.5	30	1.2	40	0.7
	20-24	73	7.5	51	2.1	119	2.2
	25-29	84	8.6	199	8.3	484	8.8
	30-49	568	58.4	1,803	74.8	4,026	72.8
	50+	131	13.5	296	12.3	779	14.1
	Unk	50	5.1	0	0.0	0	0.0
	TOTAL	973	100.0	2,409	100.0	5,531	100.0
Race/Ethnicity	White	266	27.3	625	25.9	1,823	33.0
	Black	497	51.1	1,255	52.1	2,718	49.1
	Hispanic	196	20.1	494	20.5	938	17.0
	Asian/PI	3	0.3	3	0.1	14	0.3
	Native Am	0	0.0	4	0.2	5	0.1
	Multi Race	9	0.9	21	0.9	22	0.4
	Other/Unk	2	0.2	7	0.3	11	0.2
	TOTAL	973	100.0	2,409	100.0	5,531	100.0
Risk	MSM	199	20.5	494	20.5	1,345	24.3
	IDU	189	19.4	879	36.5	2,380	43.0
	MSM/IDU	17	1.7	81	3.4	198	3.6
	Heterosexual	339	34.8	641	26.6	1,003	18.1
	Blood Prod.	7	0.7	16	0.7	71	1.3
	Pediatric Risk	32	3.3	32	1.3	87	1.6
	Other/Unk	190	19.5	266	11.0	447	8.1
	TOTAL	973	100.0	2,409	100.0	5,531	100.0

**Excludes Prisoners*

***All cases reported and confirmed from June 2000 - June 2005*

****All cases reported and confirmed from 1983 - June 2005*

RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)

Table 13B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	64	62.7	112	66.3
	Female	38	37.3	57	33.7
	TOTAL	102	100.0	169	100.0
Age Group	13-19	4	3.9	4	2.4
	20-24	12	11.8	5	3.0
	25-29	12	11.8	7	4.1
	30-49	53	52.0	118	69.8
	50+	20	19.6	35	20.7
	Unk	1	1.0	0	0.0
	TOTAL	102	100.0	169	100.0
Race/Ethnicity	White	21	20.6	39	23.1
	Black	51	50.0	88	52.1
	Hispanic	26	25.5	39	23.1
	Native Am	1	1.0	1	0.6
	Multi Race	3	2.9	2	1.2
	TOTAL	102	100.0	169	100.0
Risk	MSM	24	23.5	35	20.7
	IDU	13	12.7	38	22.5
	MSM/IDU	1	1.0	2	1.2
	Heterosexual	22	21.6	55	32.5
	Blood Prod.	2	2.0	0	0.0
	Pediatric Risk	0	0.0	2	1.2
	Other/Unk	40	39.2	37	21.9
	TOTAL	102	100.0	169	100.0

****Excludes Prisoners***
Cases reported and confirmed through June 2005

RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Table 14A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2004

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	383	59.0	888	69.3	2,315	75.7
	Female	266	41.0	393	30.7	744	24.3
	TOTAL	649	100.0	1,281	100.0	3,059	100.0
Age Group	12 & under	28	4.3	15	1.2	38	1.2
	13-19	14	2.2	14	1.1	19	0.6
	20-24	40	6.2	31	2.4	65	2.1
	25-29	49	7.6	108	8.4	270	8.8
	30-49	419	64.6	949	74.1	2,279	74.5
	50+	69	10.6	164	12.8	388	12.7
	Unk	30	4.6	0	0.0	0	0.0
	TOTAL	649	100.0	1,281	100.0	3,059	100.0
Race/Ethnicity	White	279	43.0	474	37.0	1,212	39.6
	Black	249	38.4	514	40.1	1,139	37.2
	Hispanic	111	17.1	281	21.9	687	22.5
	Asian/PI	3	0.5	0	0.0	4	0.1
	Native Am	2	0.3	2	0.2	4	0.1
	Multi Race	5	0.8	7	0.5	8	0.3
	Other/Unk	0	0.0	3	0.2	5	0.2
	TOTAL	649	100.0	1,281	100.0	3,059	100.0
Risk	MSM	133	20.5	240	18.7	653	21.3
	IDU	192	29.6	507	39.6	1,464	47.9
	MSM/IDU	16	2.5	42	3.3	107	3.5
	Heterosexual	203	31.3	297	23.2	462	15.1
	Blood Prod.	4	0.6	9	0.7	40	1.3
	Pediatric Risk	25	3.9	16	1.2	39	1.3
	Other/Unk	76	11.7	170	13.3	294	9.6
	TOTAL	649	100.0	1,281	100.0	3,059	100.0

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - June 2005**

*****All cases reported and confirmed from 1983 - June 2005**

RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Table 14B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	34	54.8	80	69.0
	Female	28	45.2	36	31.0
	TOTAL	62	100.0	116	100.0
Age Group	13-19	2	3.2	3	2.6
	20-24	4	6.5	1	0.9
	25-29	5	8.1	9	7.8
	30-49	39	62.9	71	61.2
	50+	12	19.4	32	27.6
	TOTAL	62	100.0	116	100.0
Race/Ethnicity	White	22	35.5	46	39.7
	Black	24	38.7	49	42.2
	Hispanic	13	21.0	21	18.1
	Native Am	1	1.6	0	0.0
	Multi Race	2	3.2	0	0.0
	TOTAL	62	100.0	116	100.0
Risk	MSM	13	21.0	26	22.4
	IDU	10	16.1	26	22.4
	MSM/IDU	0	0.0	1	0.9
	Heterosexual	19	30.6	35	30.2
	Blood Prod.	1	1.6	1	0.9
	Other/Unk	19	30.6	27	23.3
	TOTAL	62	100.0	116	100.0

****Excludes Prisoners***
Cases reported and confirmed through June 2005

RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)

Table 15A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2004

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	821	58.4	2,071	69.0	5,555	74.2
	Female	584	41.6	931	31.0	1,931	25.8
	TOTAL	1,405	100.0	3,002	100.0	7,486	100.0
Age Group	12 & under	95	6.8	37	1.2	112	1.5
	13-19	45	3.2	37	1.2	56	0.7
	20-24	94	6.7	93	3.1	183	2.4
	25-29	165	11.7	264	8.8	720	9.6
	30-49	848	60.4	2,191	73.0	5,441	72.7
	50+	130	9.3	380	12.7	974	13.0
	Unk	28	2.0	0	0.0	0	0.0
	TOTAL	1,405	100.0	3,002	100.0	7,486	100.0
Race/Ethnicity	White	543	38.6	1,239	41.3	3,634	48.5
	Black	581	41.4	1,237	41.2	2,874	38.4
	Hispanic	242	17.2	483	16.1	910	12.2
	Asian/PI	11	0.8	17	0.6	31	0.4
	Native Am	6	0.4	6	0.2	11	0.1
	Multi Race	7	0.5	16	0.5	16	0.2
	Other/Unk	15	1.1	4	0.1	10	0.1
	TOTAL	1,405	100.0	3,002	100.0	7,486	100.0
Risk	MSM	362	25.8	795	26.5	2,163	28.9
	IDU	212	15.1	806	26.8	2,683	35.8
	MSM/IDU	27	1.9	125	4.2	343	4.6
	Heterosexual	294	20.9	477	15.9	876	11.7
	Blood Prod.	14	1.0	43	1.4	166	2.2
	Pediatric Risk	55	3.9	39	1.3	118	1.6
	Other/Unk	441	31.4	717	23.9	1,137	15.2
	TOTAL	1,405	100.0	3,002	100.0	7,486	100.0

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - June 2005**

*****All cases reported and confirmed from 1983 - June 2005**

RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)

Table 15B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	91	64.1	141	63.5
	Female	51	35.9	81	36.5
	TOTAL	142	100.0	222	100.0
Age Group	12 & under	2	1.4	1	0.5
	13-19	10	7.0	2	0.9
	20-24	15	10.6	11	5.0
	25-29	18	12.7	16	7.2
	30-49	77	54.2	143	64.4
	50+	20	14.1	49	22.1
	TOTAL	142	100.0	222	100.0
Race/Ethnicity	White	41	28.9	75	33.8
	Black	70	49.3	99	44.6
	Hispanic	28	19.7	43	19.4
	Asian/PI	1	0.7	2	0.9
	Native Am	1	0.7	1	0.5
	Multi Race	1	0.7	2	0.9
	TOTAL	142	100.0	222	100.0
Risk	MSM	43	30.3	54	24.3
	IDU	12	8.5	36	16.2
	MSM/IDU	0	0.0	2	0.9
	Heterosexual	19	13.4	25	11.3
	Blood Prod.	2	1.4	6	2.7
	Pediatric Risk	2	1.4	1	0.5
	Other/Unk	64	45.1	98	44.1
	TOTAL	142	100.0	222	100.0

****Excludes Prisoners***
Cases reported and confirmed through June 2005

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)

Table 16A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2004

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	524	67.7	807	69.4	1,894	75.4
	Female	250	32.3	355	30.6	619	24.6
	TOTAL	774	100.0	1,162	100.0	2,513	100.0
Age Group	12 & under	13	1.7	8	0.7	20	0.8
	13-19	24	3.1	4	0.3	11	0.4
	20-24	61	7.9	22	1.9	62	2.5
	25-29	126	16.3	153	13.2	313	12.5
	30-49	471	60.9	862	74.2	1,835	73.0
	50+	79	10.2	113	9.7	272	10.8
	TOTAL	774	100.0	1,162	100.0	2,513	100.0
Race/Ethnicity	White	320	41.3	499	42.9	1,247	49.6
	Black	331	42.8	492	42.3	956	38.0
	Hispanic	108	14.0	159	13.7	293	11.7
	Asian/PI	0	0.0	3	0.3	5	0.2
	Native Am	4	0.5	1	0.1	3	0.1
	Multi Race	8	1.0	7	0.6	7	0.3
	Other/Unk	3	0.4	1	0.1	2	0.1
	TOTAL	774	100.0	1,162	100.0	2,513	100.0
Risk	MSM	270	34.9	350	30.1	911	36.3
	IDU	136	17.6	308	26.5	768	30.6
	MSM/IDU	16	2.1	38	3.3	104	4.1
	Heterosexual	116	15.0	150	12.9	240	9.6
	Blood Prod.	2	0.3	14	1.2	43	1.7
	Pediatric Risk	8	1.0	10	0.9	21	0.8
	Other/Unk	226	29.2	292	25.1	426	17.0
	TOTAL	774	100.0	1,162	100.0	2,513	100.0

**Excludes Prisoners*

***All cases reported and confirmed from June 2000 - June 2005*

****All cases reported and confirmed from 1983 - June 2005*

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)

Table 16B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	53	72.6	69	79.3
	Female	20	27.4	18	20.7
	TOTAL	73	100.0	87	100.0
Age Group	12 & under	1	1.4	0	0.0
	13-19	1	1.4	0	0.0
	20-24	6	8.2	2	2.3
	25-29	5	6.8	6	6.9
	30-49	48	65.8	63	72.4
	50+	12	16.4	16	18.4
	TOTAL	73	100.0	87	100.0
Race/Ethnicity	White	20	27.4	41	47.1
	Black	39	53.4	32	36.8
	Hispanic	6	8.2	13	14.9
	Asian/PI	0	0.0	1	1.1
	Multi Race	7	9.6	0	0.0
	Other/Unk	1	1.4	0	0.0
	TOTAL	73	100.0	87	100.0
Risk	MSM	18	24.7	24	27.6
	IDU	8	11.0	16	18.4
	MSM/IDU	0	0.0	2	2.3
	Heterosexual	10	13.7	7	8.0
	Blood Prod.	0	0.0	2	2.3
	Other/Unk	37	50.7	36	41.4
	TOTAL	73	100.0	87	100.0

****Excludes Prisoners***
Cases reported and confirmed through June 2005

RYAN WHITE REGION: SYRACUSE
*(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison,
 Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)*

Table 17A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2004

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	343	63.2	643	71.5	1,502	77.8
	Female	200	36.8	256	28.5	429	22.2
	TOTAL	543	100.0	899	100.0	1,931	100.0
Age Group	12 & under	18	3.3	4	0.4	12	0.6
	13-19	30	5.5	9	1.0	21	1.1
	20-24	55	10.1	46	5.1	81	4.2
	25-29	83	15.3	108	12.0	250	12.9
	30-49	317	58.4	651	72.4	1,388	71.9
	50+	38	7.0	81	9.0	179	9.3
	Unk	2	0.4	0	0.0	0	0.0
	TOTAL	543	100.0	899	100.0	1,931	100.0
Race/Ethnicity	White	278	51.2	469	52.2	1,136	58.8
	Black	189	34.8	326	36.3	607	31.4
	Hispanic	58	10.7	87	9.7	169	8.8
	Asian/PI	4	0.7	7	0.8	7	0.4
	Native Am	4	0.7	5	0.6	6	0.3
	Multi Race	5	0.9	4	0.4	5	0.3
	Other/Unk	5	0.9	1	0.1	1	0.1
	TOTAL	543	100.0	899	100.0	1,931	100.0
Risk	MSM	178	32.8	329	36.6	794	41.1
	IDU	90	16.6	177	19.7	453	23.5
	MSM/IDU	14	2.6	37	4.1	104	5.4
	Heterosexual	147	27.1	189	21.0	293	15.2
	Blood Prod.	2	0.4	20	2.2	60	3.1
	Pediatric Risk	13	2.4	8	0.9	20	1.0
	Other/Unk	99	18.2	139	15.5	207	10.7
	TOTAL	543	100.0	899	100.0	1,931	100.0

**Excludes Prisoners*

***All cases reported and confirmed from June 2000 - June 2005*

****All cases reported and confirmed from 1983 - June 2005*

RYAN WHITE REGION: SYRACUSE

(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)

Table 17B

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	24	66.7	49	64.5
	Female	12	33.3	27	35.5
	TOTAL	36	100.0	76	100.0
Age Group	12 & under	1	2.8	0	0.0
	13-19	3	8.3	0	0.0
	20-24	6	16.7	3	3.9
	25-29	8	22.2	9	11.8
	30-49	13	36.1	53	69.7
	50+	5	13.9	11	14.5
	TOTAL	36	100.0	76	100.0
Race/Ethnicity	White	14	38.9	34	44.7
	Black	19	52.8	35	46.1
	Hispanic	2	5.6	3	3.9
	Native Am	0	0.0	2	2.6
	Multi Race	1	2.8	2	2.6
	TOTAL	36	100.0	76	100.0
Risk	MSM	11	30.6	28	36.8
	IDU	2	5.6	11	14.5
	MSM/IDU	2	5.6	2	2.6
	Heterosexual	11	30.6	19	25.0
	Blood Prod.	0	0.0	1	1.3
	Pediatric Risk	2	5.6	0	0.0
	Other/Unk	8	22.2	15	19.7
	TOTAL	36	100.0	76	100.0

****Excludes Prisoners***

Cases reported and confirmed through June 2005

Table 18A

HIV/AIDS Cases Diagnosed through June 2004

		AIDS**	
Borough	Living HIV*	Living	Cumulative
Bronx	6,843	11,680	28,049
Brooklyn	6,984	14,115	35,634
Manhattan	9,841	17,441	47,257
Queens	3,513	8,145	18,694
Staten Island	571	1,012	2,737
TOTAL	27,752	52,393	132,371

****All cases reported and confirmed from June 2000 - June 2005***

*****All cases reported and confirmed from 1983 - June 2005***

Table 18B***Newly Diagnosed HIV/AIDS Cases*
Diagnosed July 2003 - June 2004***

Borough	Initial HIV	Initial AIDS
Bronx	664	1,035
Brooklyn	651	1,178
Manhattan	788	1,378
Queens	343	607
Staten Island	46	61
TOTAL	2,492	4,259

****Cases reported and confirmed through June 2005***

Table 19A

***HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2004***

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	3,592	52.5	7,282	62.3	18,510	66.0
	Female	3,249	47.5	4,398	37.7	9,539	34.0
	Unk	2	0.0	0	0.0	0	0.0
	TOTAL	6,843	100.0	11,680	100.0	28,049	100.0
Age Group	12 & under	546	8.0	216	1.8	586	2.1
	13-19	194	2.8	131	1.1	172	0.6
	20-24	548	8.0	383	3.3	758	2.7
	25-29	759	11.1	1,033	8.8	2,620	9.3
	30-49	4,002	58.5	8,359	71.6	20,051	71.5
	50+	782	11.4	1,558	13.3	3,862	13.8
	Unk	12	0.2	0	0.0	0	0.0
	TOTAL	6,843	100.0	11,680	100.0	28,049	100.0
Race/Ethnicity	White	342	5.0	669	5.7	1,880	6.7
	Black	3,239	47.3	5,056	43.3	11,894	42.4
	Hispanic	3,128	45.7	5,874	50.3	14,143	50.4
	Asian/PI	23	0.3	37	0.3	81	0.3
	Native Am	7	0.1	5	0.0	9	0.0
	Multi Race	1	0.0	1	0.0	1	0.0
	Other/Unk	103	1.5	38	0.3	41	0.1
	TOTAL	6,843	100.0	11,680	100.0	28,049	100.0
Risk	MSM	824	12.0	1,549	13.3	4,146	14.8
	IDU	1,010	14.8	4,082	34.9	13,293	47.4
	MSM/IDU	76	1.1	259	2.2	811	2.9
	Heterosexual	1,124	16.4	2,126	18.2	4,064	14.5
	Blood Prod.	29	0.4	70	0.6	164	0.6
	Pediatric Risk	479	7.0	253	2.2	622	2.2
	Other/Unk	3,301	48.2	3,341	28.6	4,949	17.6
	TOTAL	6,843	100.0	11,680	100.0	28,049	100.0

****All cases reported and confirmed from June 2000 - June 2005***

*****All cases reported and confirmed from 1983 - June 2005***

Table 19B

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	404	60.8	610	58.9
	Female	260	39.2	425	41.1
	TOTAL	664	100.0	1,035	100.0
Age Group	12 & under	5	0.8	3	0.3
	13-19	40	6.0	9	0.9
	20-24	81	12.2	35	3.4
	25-29	78	11.7	70	6.8
	30-49	376	56.6	724	70.0
	50+	84	12.7	194	18.7
	TOTAL	664	100.0	1,035	100.0
Race/Ethnicity	White	32	4.8	49	4.7
	Black	326	49.1	513	49.6
	Hispanic	292	44.0	463	44.7
	Asian/PI	2	0.3	3	0.3
	Native Am	3	0.5	1	0.1
	Other/Unk	9	1.4	6	0.6
	TOTAL	664	100.0	1,035	100.0
Risk	MSM	136	20.5	136	13.1
	IDU	77	11.6	215	20.8
	MSM/IDU	10	1.5	18	1.7
	Heterosexual	127	19.1	183	17.7
	Blood Prod.	3	0.5	5	0.5
	Pediatric Risk	3	0.5	5	0.5
	Other/Unk	308	46.4	473	45.7
	TOTAL	664	100.0	1,035	100.0

****Cases reported and confirmed through June 2005***

Table 20A

***HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2004***

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	3,835	54.9	9,036	64.0	24,306	68.2
	Female	2,967	42.5	5,079	36.0	11,328	31.8
	Unk	182	2.6	0	0.0	0	0.0
	TOTAL	6,984	100.0	14,115	100.0	35,634	100.0
Age Group	12 & under	431	6.2	251	1.8	704	2.0
	13-19	205	2.9	162	1.1	232	0.7
	20-24	575	8.2	485	3.4	1,013	2.8
	25-29	850	12.2	1,338	9.5	3,515	9.9
	30-49	4,089	58.5	9,960	70.6	25,224	70.8
	50+	832	11.9	1,919	13.6	4,946	13.9
	Unk	2	0.0	0	0.0	0	0.0
	TOTAL	6,984	100.0	14,115	100.0	35,634	100.0
Race/Ethnicity	White	933	13.4	1,609	11.4	4,859	13.6
	Black	4,199	60.1	8,715	61.7	21,372	60.0
	Hispanic	1,479	21.2	3,614	25.6	9,143	25.7
	Asian/PI	73	1.0	111	0.8	184	0.5
	Native Am	5	0.1	7	0.0	10	0.0
	Multi Race	4	0.1	1	0.0	1	0.0
	Other/Unk	291	4.2	58	0.4	65	0.2
	TOTAL	6,984	100.0	14,115	100.0	35,634	100.0
Risk	MSM	1,352	19.4	2,473	17.5	6,690	18.8
	IDU	824	11.8	3,932	27.9	14,590	40.9
	MSM/IDU	66	0.9	231	1.6	768	2.2
	Heterosexual	1,267	18.1	2,447	17.3	4,590	12.9
	Blood Prod.	27	0.4	95	0.7	280	0.8
	Pediatric Risk	354	5.1	258	1.8	704	2.0
	Other/Unk	3,094	44.3	4,679	33.1	8,012	22.5
	TOTAL	6,984	100.0	14,115	100.0	35,634	100.0

****All cases reported and confirmed from June 2000 - June 2005***

*****All cases reported and confirmed from 1983 - June 2005***

Table 20B

**Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004**

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	396	60.8	732	62.1
	Female	255	39.2	446	37.9
	TOTAL	651	100.0	1,178	100.0
Age Group	12 & under	5	0.8	3	0.3
	13-19	30	4.6	16	1.4
	20-24	84	12.9	47	4.0
	25-29	77	11.8	69	5.9
	30-49	360	55.3	774	65.7
	50+	95	14.6	269	22.8
	TOTAL	651	100.0	1,178	100.0
Race/Ethnicity	White	57	8.8	119	10.1
	Black	464	71.3	786	66.7
	Hispanic	113	17.4	255	21.6
	Asian/PI	13	2.0	11	0.9
	Native Am	1	0.2	0	0.0
	Other/Unk	3	0.5	7	0.6
	TOTAL	651	100.0	1,178	100.0
Risk	MSM	166	25.5	242	20.5
	IDU	54	8.3	164	13.9
	MSM/IDU	4	0.6	13	1.1
	Heterosexual	97	14.9	199	16.9
	Blood Prod.	3	0.5	6	0.5
	Pediatric Risk	4	0.6	6	0.5
	Other/Unk	323	49.6	548	46.5
	TOTAL	651	100.0	1,178	100.0

**Cases reported and confirmed through June 2005*

Table 21A

***HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2004***

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	7,705	78.3	13,927	79.9	39,089	82.7
	Female	2,102	21.4	3,514	20.1	8,168	17.3
	Unk	34	0.3	0	0.0	0	0.0
	TOTAL	9,841	100.0	17,441	100.0	47,257	100.0
Age Group	12 & under	339	3.4	141	0.8	401	0.8
	13-19	148	1.5	86	0.5	123	0.3
	20-24	592	6.0	384	2.2	832	1.8
	25-29	1,141	11.6	1,581	9.1	4,135	8.8
	30-49	6,445	65.5	12,718	72.9	34,262	72.5
	50+	1,173	11.9	2,531	14.5	7,504	15.9
	Unk	3	0.0	0	0.0	0	0.0
	TOTAL	9,841	100.0	17,441	100.0	47,257	100.0
Race/Ethnicity	White	3,729	37.9	5,977	34.3	17,629	37.3
	Black	3,138	31.9	6,347	36.4	16,714	35.4
	Hispanic	2,416	24.6	4,757	27.3	12,300	26.0
	Asian/PI	147	1.5	205	1.2	433	0.9
	Native Am	13	0.1	7	0.0	19	0.0
	Multi Race	2	0.0	6	0.0	6	0.0
	Other/Unk	396	4.0	142	0.8	156	0.3
	TOTAL	9,841	100.0	17,441	100.0	47,257	100.0
Risk	MSM	4,377	44.5	7,237	41.5	21,715	46.0
	IDU	780	7.9	4,173	23.9	14,743	31.2
	MSM/IDU	122	1.2	381	2.2	1,477	3.1
	Heterosexual	948	9.6	1,617	9.3	3,055	6.5
	Blood Prod.	27	0.3	61	0.3	210	0.4
	Pediatric Risk	281	2.9	155	0.9	412	0.9
	Other/Unk	3,306	33.6	3,817	21.9	5,645	11.9
	TOTAL	9,841	100.0	17,441	100.0	47,257	100.0

****All cases reported and confirmed from June 2000 - June 2005***

*****All cases reported and confirmed from 1983 - June 2005***

Table 21B

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	626	79.4	1,049	76.1
	Female	162	20.6	329	23.9
	TOTAL	788	100.0	1,378	100.0
Age Group	12 & under	3	0.4	0	0.0
	13-19	19	2.4	10	0.7
	20-24	77	9.8	32	2.3
	25-29	100	12.7	78	5.7
	30-49	492	62.4	937	68.0
	50+	97	12.3	321	23.3
	TOTAL	788	100.0	1,378	100.0
Race/Ethnicity	White	248	31.5	363	26.3
	Black	299	37.9	571	41.4
	Hispanic	222	28.2	408	29.6
	Asian/PI	13	1.6	25	1.8
	Native Am	1	0.1	2	0.1
	Multi Race	1	0.1	1	0.1
	Other/Unk	4	0.5	8	0.6
	TOTAL	788	100.0	1,378	100.0
Risk	MSM	403	51.1	490	35.6
	IDU	55	7.0	176	12.8
	MSM/IDU	5	0.6	29	2.1
	Heterosexual	85	10.8	178	12.9
	Blood Prod.	2	0.3	7	0.5
	Pediatric Risk	3	0.4	2	0.1
	Other/Unk	235	29.8	496	36.0
	TOTAL	788	100.0	1,378	100.0

****Cases reported and confirmed through June 2005***

Table 22A

***HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2004***

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	2,268	64.6	5,779	71.0	14,000	74.9
	Female	1,244	35.4	2,366	29.0	4,694	25.1
	Unk	1	0.0	0	0.0	0	0.0
	TOTAL	3,513	100.0	8,145	100.0	18,694	100.0
Age Group	12 & under	161	4.6	101	1.2	277	1.5
	13-19	84	2.4	74	0.9	99	0.5
	20-24	259	7.4	284	3.5	511	2.7
	25-29	467	13.3	872	10.7	1,848	9.9
	30-49	2,217	63.1	5,833	71.6	13,623	72.9
	50+	322	9.2	981	12.0	2,336	12.5
	Unk	3	0.1	0	0.0	0	0.0
	TOTAL	3,513	100.0	8,145	100.0	18,694	100.0
Race/Ethnicity	White	732	20.8	1,580	19.4	4,580	24.5
	Black	1,496	42.6	3,489	42.8	8,110	43.4
	Hispanic	1,113	31.7	2,811	34.5	5,587	29.9
	Asian/PI	88	2.5	215	2.6	355	1.9
	Native Am	3	0.1	11	0.1	16	0.1
	Multi Race	4	0.1	1	0.0	1	0.0
	Other/Unk	77	2.2	38	0.5	45	0.2
	TOTAL	3,513	100.0	8,145	100.0	18,694	100.0
Risk	MSM	1,048	29.8	2,139	26.3	5,159	27.6
	IDU	327	9.3	2,122	26.1	6,823	36.5
	MSM/IDU	31	0.9	123	1.5	450	2.4
	Heterosexual	737	21.0	1,359	16.7	2,238	12.0
	Blood Prod.	19	0.5	63	0.8	186	1.0
	Pediatric Risk	131	3.7	123	1.5	294	1.6
	Other/Unk	1,220	34.7	2,216	27.2	3,544	19.0
	TOTAL	3,513	100.0	8,145	100.0	18,694	100.0

****All cases reported and confirmed from June 2000 - June 2005***

*****All cases reported and confirmed from 1983 - June 2005***

Table 22B

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	226	65.9	408	67.2
	Female	117	34.1	199	32.8
	TOTAL	343	100.0	607	100.0
Age Group	12 & under	1	0.3	0	0.0
	13-19	14	4.1	7	1.2
	20-24	27	7.9	32	5.3
	25-29	47	13.7	53	8.7
	30-49	214	62.4	402	66.2
	50+	40	11.7	113	18.6
	TOTAL	343	100.0	607	100.0
Race/Ethnicity	White	67	19.5	82	13.5
	Black	151	44.0	293	48.3
	Hispanic	106	30.9	201	33.1
	Asian/PI	14	4.1	29	4.8
	Multi Race	2	0.6	0	0.0
	Other/Unk	3	0.9	2	0.3
	TOTAL	343	100.0	607	100.0
Risk	MSM	115	33.5	151	24.9
	IDU	24	7.0	70	11.5
	MSM/IDU	2	0.6	9	1.5
	Heterosexual	70	20.4	106	17.5
	Blood Prod.	3	0.9	9	1.5
	Other/Unk	129	37.6	262	43.2
	TOTAL	343	100.0	607	100.0

****Cases reported and confirmed through June 2005***

Table 23A

***HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2004***

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	321	56.2	661	65.3	1,961	71.6
	Female	249	43.6	351	34.7	776	28.4
	Unk	1	0.2	0	0.0	0	0.0
	TOTAL	571	100.0	1,012	100.0	2,737	100.0
Age Group	12 & under	33	5.8	15	1.5	42	1.5
	13-19	12	2.1	11	1.1	15	0.5
	20-24	38	6.7	26	2.6	64	2.3
	25-29	49	8.6	82	8.1	213	7.8
	30-49	380	66.5	761	75.2	2,078	75.9
	50+	59	10.3	117	11.6	325	11.9
	TOTAL	571	100.0	1,012	100.0	2,737	100.0
Race/Ethnicity	White	177	31.0	387	38.2	1,254	45.8
	Black	235	41.2	385	38.0	920	33.6
	Hispanic	136	23.8	228	22.5	541	19.8
	Asian/PI	8	1.4	4	0.4	11	0.4
	Native Am	1	0.2	1	0.1	2	0.1
	Multi Race	0	0.0	1	0.1	1	0.0
	Other/Unk	14	2.5	6	0.6	8	0.3
	TOTAL	571	100.0	1,012	100.0	2,737	100.0
Risk	MSM	91	15.9	144	14.2	502	18.3
	IDU	71	12.4	358	35.4	1,311	47.9
	MSM/IDU	5	0.9	16	1.6	59	2.2
	Heterosexual	89	15.6	175	17.3	326	11.9
	Blood Prod.	4	0.7	11	1.1	45	1.6
	Pediatric Risk	18	3.2	16	1.6	43	1.6
	Other/Unk	293	51.3	292	28.9	451	16.5
	TOTAL	571	100.0	1,012	100.0	2,737	100.0

****All cases reported and confirmed from June 2000 - June 2005***

*****All cases reported and confirmed from 1983 - June 2005***

Table 23B

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2003 - June 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	23	50.0	38	62.3
	Female	23	50.0	23	37.7
	TOTAL	46	100.0	61	100.0
Age Group	12 & under	0	0.0	1	1.6
	13-19	5	10.9	1	1.6
	20-24	5	10.9	1	1.6
	25-29	1	2.2	3	4.9
	30-49	27	58.7	42	68.9
	50+	8	17.4	13	21.3
	TOTAL	46	100.0	61	100.0
Race/Ethnicity	White	9	19.6	20	32.8
	Black	29	63.0	26	42.6
	Hispanic	6	13.0	12	19.7
	Asian/PI	0	0.0	1	1.6
	Native Am	1	2.2	0	0.0
	Other/Unk	1	2.2	2	3.3
	TOTAL	46	100.0	61	100.0
Risk	MSM	9	19.6	7	11.5
	IDU	2	4.3	14	23.0
	Heterosexual	11	23.9	11	18.0
	Blood Prod.	1	2.2	1	1.6
	Other/Unk	23	50.0	28	45.9
	TOTAL	46	100.0	61	100.0

****Cases reported and confirmed through June 2005***